

$$r(\vartheta) = \varphi^{2\vartheta/\pi}$$

The golden ratio:
Ideal solutions
based on simple laws



SWISSCOOL UX 660

WATER-MISCIBLE METALWORKING FLUID
FOR THE BEST PERFORMANCE

SWISSCOOL UX 660

FOR THE BEST COOLING AND LUBRICATION RESULTS
WHEN WORKING WITH ALUMINIUM AND STEEL ALLOYS

SWISSCOOL UX 660 is a water-miscible cooling lubricant that contains mineral oil. It combines a wealth of positive characteristics with its new formula.

The high-quality ingredients and state-of-the-art technology ensure excellent results when working with materials such as aluminium and high-alloyed steels.



MILLING



TURNING



DRILLING



THREADING



OPTIMAL PROCESS SECURITY

The new additive technology both improves lubrication and cutting performance and also supports process security at water hardness levels of 5°dH – 30°dH.

HIGHLY EFFECTIVE CORROSION PROTECTION

SWISSCOOL UX 660 protects machines and workpieces against corrosion and supports process security for metal-working applications.



LOW CONSUMPTION

SWISSCOOL UX 660 offers excellent rinse behaviour. This helps machines stay clean and reduces consumption to a minimum.



EXCELLENT BIOSTABILITY

The chosen formula prevents uncontrolled growth of organic matter, which results in very long-lasting emulsions.

COMPLIES WITH CURRENT LEGISLATION

The novel mild formula contains no boric acid or formaldehyde deposits. This ensures excellent compatibility with people, materials and machines.



INDUSTRIAL LINE

STRUCTURE YOUR PRODUCTION PROCESS
IN AN AGILE AND EFFICIENT WAY WITH MOTOREX!



EXPERIENCE SINCE 1917

INDUSTRIAL LINE | A WIDE RANGE OF PRODUCTS

- Spindle oils and coolants
- Water-miscible cutting fluids
- Cutting oils
- Grinding fluids
- Forming oils
- EDM oils
- Slideway oils
- Anti-corrosion fluids
- Cleaners
- All-purpose sprays

SPINDLE LINE
SWISSCOOL
SWISSCUT
SWISSGRIND
SWISSFORMING
SWISSFINISH
SWISSGLIDE
SWISSPROTECT
SWISSCLEAN
SPRAY LINE



MOTOREX AG
Bern-Zürich-Strasse 31, 4901 Langenthal, Switzerland
+41 62 919 75 75, motorex.com